INDEX TO AUTHORS.

A

Andrewes, Christopher H., Derick, Clifford L., and **Swift, Homer F.** The skin response of rabbits to non-hemolytic streptococci. I. Description of a secondary reaction occurring locally after intradermal inoculation, 35

—. See DERICK and ANDREWES, 55

B

Baker, Lillian E., and **Carrel, Alexis.** Action on fibroblasts of the protein fraction of embryonic tissue extract, 387

— and —. Effect of the amino acids and dialyzable constituents of embryonic tissue juice on the growth of fibroblasts, 397

—. See CARREL and BAKER, 503

Beattie, W. W. See ROUS and BEATTIE, 835

Berlot, J. A. See JUNGEBLUT and BERLOT, 129

Branch, Arnold. See STILLMAN and BRANCH, 581

Bronfenbrenner, Jacques J., Muckenfuss, Ralph S., and **Korb, Charles.** Studies on the bacteriophage of d'Hérelle. VI. On the virulence of the overgrowth in the lysed cultures of *Bacillus pestis caviæ* (M. T. II), 607

— and **Reichert, Philip.** The nature of the toxin-antitoxin flocculation phenomenon, 553

Brown, Wade H., Pearce, Louise, and **Van Allen, Chester M.** The occurrence and trend of spontaneous variations in organ weights of normal rabbits, 653

—, —, and —. The relation between body and organ weights in the rabbit, 635

—, —, and —. Relation between organ weights and obscure lesions in apparently normal rabbits. II, 85

Bunting, C. H., and **Eades, Charles C.** The effect of mechanical tension upon the polarity of growing fibroblasts, 147

Burn, Caspar G. See WEBSTER and BURN, 343, 359

C

Carrel, Alexis, and **Baker, Lillian E.** The chemical nature of substances required for cell multiplication, 503

— and **Ebeling, Albert H.** The fundamental properties of the fibroblast and the macrophage. I. The fibroblast, 261

— and —. II. The macrophage, 285

—. See BAKER and CARREL, 387, 397

Chesney, Alan M., and **Kemp, Jarold E.** Studies in experimental syphilis. VI. On variations in the response of treated rabbits to reinoculation; and on cryptogenetic reinfection with syphilis, 589

Cole, Rufus, and **Kuttner, Ann G.** A filterable virus present in the submaxillary glands of guinea pigs, 855
Copher, Glover H., Kodama, Shuichi, and **Graham, Evarts A.** The filling and emptying of the gall bladder, 65
Cowdry, E. V. Studies on the etiology of heartwater. III. The multiplication of *Rickettsia ruminantium* within the endothelial cells of infected animals and their discharge into the circulation, 803

D

Derick, Clifford L., and **Andrewes, Christopher H.** The skin response of rabbits to non-hemolytic streptococci. II. Attempts to determine whether the secondary reaction is of the nature of an Arthus phenomenon, 55
—. See ANDREWES, DERICK, and SWIFT, 35
Dochez, A. R. See STEVENS and DOCHEZ, 439
Duval, Charles W., and **Hibbard, R. J.** Experimental glomerulonephritis induced in rabbits with the endotoxic principle of *Streptococcus scarlatinæ*, 567

E

Eades, Charles C. See BUNTING and EADES, 147
Ebeling, Albert H. See CARREL and EBELING, 261, 285
Elman, Robert, and **McMaster, Philip D.** The physiological variations in resistance to bile flow to the intestine, 151
—. See MCMASTER and ELMAN, 173

F

Frobisher, Martin, Jr. Tissue-digesting enzyme (histase) of streptococci, 777

G

Gates, Frederick L. *Bacterium pneumosintes* in clinical influenza in New York City in 1926, 787
Graham, Evarts A. See COPHER, KODAMA, and GRAHAM, 65

H

Haden, Russell L., and **Orr, Thomas G.** The chloride content of the tissues of the dog after experimental gastrointestinal tract obstruction, 435
— and —. Experimental high jejunostomy in the dog, with blood chemical studies, 795
— and —. The sedimentation rate of the erythrocytes in experimental obstruction of the gastrointestinal tract, 429
— and —. Surface tension of the blood serum of the dog after upper gastrointestinal tract obstruction, 425
— and —. The viscosity of the blood of the dog after obstruction of the upper gastrointestinal tract, 419
Hall, Milton W. The relation of *Bacterium pneumosintes* to influenza: A study with a strain of the organism derived from the nasopharyngeal washings of a case of influenza, 539
Hance, Robert T., and **Murphy, James B.** Studies on x-ray effects. XV. The prevention of pigment formation in the hair follicles of colored mice with high voltage x-ray, 339

Hibbard, R. J. See DUVAL and HIBBARD, 567

J

Jaffe, Henry L. Autoplastic thymus transplants. II. With particular reference to the regeneration of the reticulum cells and the formation of Hassall's corpuscles, 523

Jones, F. S. The behavior *in vivo* of certain relatively pure antigens, 625

— and **Little, Ralph B.** The organism associated with specific infectious cystitis and pyelonephritis of cows, 11

Julianelle, Louis A. A biological classification of *Encapsulatus pneumoniæ* (Friedländer's bacillus), 113

—. Immunological relationships of cell constituents of *Encapsulatus pneumoniæ* (Friedländer's bacillus), 735

—. Immunological relationships of encapsulated and capsule-free strains of *Encapsulatus pneumoniæ* (Friedländer's bacillus), 683

Jungeblut, C. W., and **Berlot, J. A.** The rôle of the reticulo-endothelial system in immunity. III. The production of active and passive anaphylaxis in the blocked animal, 129

K

Kemp, Jarold E. See CHESNEY and KEMP, 589

Kligler, I. J., and **Weitzman, I.** Susceptibility and resistance to trypanosome infection. II. The relation of physical environment to host susceptibility to infection, 409

Kodama, Shuichi. See COPHER, KODAMA, and GRAHAM, 65

Korb, Charles. See BRONFENBRENNER, MUCKENFUSS, and KORB, 607

Koster, Harry. The relation of the reticulo-endothelial system to the blood platelet count, 75

Kuttner, Ann G. See COLE and KUTTNER, 855

L

Little, Ralph B. See JONES and LITTLE, 11

M

Mallory, Tracy B. See NEILL and MALLORY, 241

McMaster, Philip D., and **Elman, Robert.** On the expulsion of bile by the gall bladder; and a reciprocal relationship with the sphincter activity, 173

—. See ELMAN and MCMASTER, 151

Muckenfuss, Ralph S. See BRONFENBRENNER, MUCKENFUSS, and KORB, 607

Murphy, James B. See HANCE and MURPHY, 339

N

Neill, James M. Studies on the oxidation and reduction of immunological substances. I. Pneumococcus hemotoxin, 199

—. II. The hemotoxin of the Welch bacillus, 215

—. III. Tetanolysin, 227

— and **Mallory, Tracy B.** Studies on the oxidation and reduction of immunological substances. IV. Streptolysin, 241

Noguchi, Hideyo. Comparative studies of herpetomonads and leishmanias. II. Differentiation of the organisms by serological reactions and fermentation tests, 327

Noguchi, Hideyo. Etiology of Oroya fever. II. Viability of *Bartonella bacilliformis* in cultures and in the preserved blood and an excised nodule of *Macacus rhesus*, 533

—. III. The behavior of *Bartonella bacilliformis* in *Macacus rhesus*, 697

—. IV. The effect of inoculation of anthropoid apes with *Bartonella bacilliformis*, 715

—. V. The experimental transmission of *Bartonella bacilliformis* by ticks (*Dermacentor andersoni*), 729

—. A filter-passing virus obtained from *Dermacentor andersoni*, 1

— and **Tilden, Evelyn B.** Comparative studies of herpetomonads and leishmanias. I. Cultivation of herpetomonads from insects and plants, 307

O

Orr, Thomas G. See HADEN and ORR, 419, 425, 429, 435, 795

Owens, William. See GATES, 787

P

Pearce, Louise, and **Van Allen, Chester M.** Effects of light on normal rabbits, with especial reference to the organic reaction. I. Clinical and postmortem observations, 447

— and —. II. Organ weights, 461

— and —. III. Analysis of organ weights, 483

—. See BROWN, PEARCE, and VAN ALLEN, 85, 635, 653

R

Reichert, Philip. See BRONFENBRENNER and REICHERT, 553

Rous, Peyton. The relative reaction within living mammalian tissues. VI. Factors determining the reaction of skin grafts; a study by the indicator method of conditions within an ischemic tissue, 815

— and **Beattie, W. W.** The relative reaction within living mammalian tissues. VII. The influence of changes in the reaction of the blood upon the reaction of the tissues, 835

S

Shibley, Gerald S. Studies in agglutination. III. On the mechanism of the agglutination of bacteria by specific agglutinating serum, 667

Shope, Richard E. The survival of the tubercle bacillus in suspension in physiological salt solution, 623

Stevens, Franklin A., and **Dochez, A. R.** Studies on the biology of streptococcus. VI. Biology of hemolytic streptococcus: Antigenic relationships between strains of the scarlatinal and erysipelas groups, 439

Stillman, Ernest G., and **Branch, Arnold.** Susceptibility of rabbits to infection by the inhalation of virulent pneumococci, 581

Swift, Homer F. See ANDREWES, DERICK, and SWIFT, 35

T

Tamiya, Takeo. See ZINSSER and TAMIYA, 753

Tang, Fei-Fang. See ZINSSER and TANG, 21
Tilden, Evelyn B. See NOGUCHI and TILDEN, 307

V

Van Allen, Chester M. See BROWN, PEARCE, and VAN ALLEN, 85, 635, 653
—. See PEARCE and VAN ALLEN, 447, 461, 483

W

Webster, Leslie T., and **Burn, Caspar G.** Biology of *Bacterium lepisepticum.* III. Physical, cultural, and growth characteristics of diffuse and mucoid types and their variants, 343
Webster, Leslie T., and **Burn, Caspar G.** Biology of *Bacterium lepisepticum.* IV. Virulence of diffuse and mucoid types and their variants, 359
Weitzman, I. See KLIGLER and WEITZMAN, 409

Z

Zinsser, Hans, and **Tamiya, Takeo.** An experimental analysis of bacterial allergy, 753
— and **Tang, Fei-Fang.** Immunological studies with herpes virus with a consideration of the herpes-encephalitis problem, 21

INDEX TO SUBJECTS.

A

Agglutination:
III (SHIBLEY) 667
Bacterium, by specific agglutinating serum (SHIBLEY) 667

Allergy:
Bacterial (ZINSSER and TAMIYA) 753

Amino acid:
Embryonic tissue extract, effect on fibroblast (BAKER and CARREL) 397

Anaphylaxis:
Active, with blocked reticulo-endothelial system (JUNGEBLUT and BERLOT) 129
Passive, with blocked reticulo-endothelial system (JUNGEBLUT and BERLOT) 129

Antigen:
In vivo (JONES) 625
Streptococcus, hemolytic, relations between scarlatinal and erysipelas strains (STEVENS and DOCHEZ) 439

Antitoxin:
Flocculation by toxin (BRONFENBRENNER and REICHERT) 553

Arthus phenomenon:
Skin response to non-hemolytic streptococci, relation (DERICK and ANDREWES) 55

Autoplastic:
Transplant, thymus. II (JAFFE) 523

B

Bacillus:
Friedländer's, biological classification (JULIANELLE) 113
—, encapsulated and capsule-free, immunological relations (JULIANELLE) 683
—, immunological relations of cell constituents (JULIANELLE) 735
pestis caviæ, virulence of overgrowth in lysed cultures (BRONFENBRENNER, MUCKENFUSS, and KORB) 607
tuberculosis, survival in suspension in physiological salt solution (SHOPE) 623
welchii, hemotoxin (NEILL) 215

Bacteriophage:
Twort-d'Hérelle phenomenon. VI (BRONFENBRENNER, MUCKENFUSS, and KORB) 607

Bacterium:
Agglutination by specific agglutinating serum (SHIBLEY) 667
Allergy (ZINSSER and TAMIYA) 753
lepisepticum, biology. III (WEBSTER and BURN) 343
—, —. IV (WEBSTER and BURN) 359
pneumosintes, from nasopharyngeal washings of influenzal case (HALL) 539

Bacterium—*continued*:
pneumosintes in influenza (GATES) 787
—, relation to influenza (HALL) 539
Bartonella:
bacilliformis in *Macacus rhesus* (NOGUCHI) 697
— inoculated into anthropoid apes (NOGUCHI) 715
— transmitted by *Dermacentor andersoni* (NOGUCHI) 729
—, viability in cultures (NOGUCHI) 533
—, — — excised nodule (NOGUCHI) 533
—, — — preserved blood (NOGUCHI) 533
Bile:
Expulsion by gall bladder, relation to sphincter activity (MCMASTER and ELMAN) 173
Flow to intestine, physiological variations in resistance (ELMAN and MCMASTER) 151
Blood:
Bartonella bacilliformis, viability after preservation in (NOGUCHI) 533
Cell, red. *See* Erythrocyte.
Jejunostomy, high, chemical study of (HADEN and ORR) 795
Platelet count, relation to reticulo-endothelial system (KOSTER) 75
Reaction, influence on reaction of tissues (ROUS and BEATTIE) 835
Serum. *See* Serum.
Viscosity after obstruction of upper gastrointestinal tract (HADEN and ORR) 419
Body:
Weight, relation to organ weight (BROWN, PEARCE, and VAN ALLEN) 635

C

Cattle:
Cystitis, organism associated with (JONES and LITTLE) 11
Pyelonephritis, organism associated with (JONES and LITTLE) 11
Cell:
Bacillus, Friedländer's, immunological relations of cell constituents (JULIANELLE) 735
Blood, red. *See* Erythrocyte.
Encapsulatus pneumoniæ, immunological relations of cell constituents (JULIANELLE) 735
Endothelial, multiplication of *Rickettsia ruminantium* in, and discharge into circulation from (COWDRY) 803
Multiplication, chemical nature of substances required for (CARREL and BAKER) 503
Reticulum, of thymus, regeneration after autoplastic transplantation (JAFFE) 523
Chloride(s):
Tissue, after upper gastrointestinal tract obstruction (HADEN and ORR) 435
Circulation:
Rickettsia ruminantium discharged from endothelial cells into (COWDRY) 803

Corpuscle:
Hassall's, formation after autoplastic thymus transplantation (JAFFE) 523

Cystitis:
Cattle, organism associated with (JONES and LITTLE) 11

D

Dermacentor:
andersoni, filter-passing virus (NOGUCHI) 1
—, transmitting *Bartonella bacilliformis* (NOGUCHI) 729

Dialysis:
Embryonic tissue extract, effect of dialyzable constituents on fibroblast (BAKER and CARREL) 397

Digestion:
Tissue, by enzyme of streptococcus (FROBISHER) 777
—, — histase of streptococcus (FROBISHER) 777

E

Embryo:
Tissue extract, action of protein fraction on fibroblast (BAKER and CARREL) 387
— —, effect of amino acid on fibroblast (BAKER and CARREL) 397
— —, — — dialyzable constituents on fibroblast (BAKER and CARREL) 397

Encapsulatus:
pneumoniæ, biological classification (JULIANELLE) 113
—, encapsulated and capsule-free, immunological relations (JULIANELLE) 683

Encapsulatus—*continued*:
pneumoniæ, immunological relations of cell constituents (JULIANELLE) 735

Encephalitis:
Herpes and (ZINSSER and TANG) 21

Endothelium:
Rickettsia ruminantium, multiplication in endothelial cells, and discharge into circulation from (COWDRY) 803

Endotoxin:
Streptococcus scarlatinæ, producing glomerulonephritis (DUVAL and HIBBARD) 567

Enzyme:
Histase of streptococcus (FROBISHER) 777
Tissue-digesting, of streptococcus (FROBISHER) 777

Erysipelas:
Streptococcus, hemolytic, antigenic relations to scarlatinal streptococcus (STEVENS and DOCHEZ) 439

Erythrocyte:
Sedimentation rate after upper gastrointestinal tract obstruction (HADEN and ORR) 429

F

Fermentation:
Herpetomonas and *Leishmania* differentiation (NOGUCHI) 327

Fever:
Oroya. *See* Oroya fever.

Fibroblast:
Embryonic tissue extract, action of protein fraction (BAKER and CARREL) 387

Fibroblast—*continued*:
Embryonic tissue extract, effect of amino acid (BAKER and CARREL) 397
— — —, effect of dialyzable constituents (BAKER and CARREL) 397
Macrophage and, properties. I (CARREL and EBELING) 261
— —, —. II (CARREL and EBELING) 285
Polarity, effect of mechanical tension (BUNTING and EADES) 147
Filtration:
Virus, filterable, from *Dermacentor andersoni* (NOGUCHI) 1
—, —, in submaxillary glands of guinea pigs (COLE and KUTTNER) 855
Follicle:
Hair, pigment formation prevented by high voltage x-rays (HANCE and MURPHY) 339
Friedländer:
Bacillus. *See* Bacillus.

G

Gall bladder:
Bile expulsion, relation to sphincter activity (MCMASTER and ELMAN) 173
Filling and emptying (COPHER, KODAMA, and GRAHAM) 65
Gastrointestinal:
Tract, upper, effect of obstruction on sedimentation rate of erythrocytes (HADEN and ORR) 429
—, —, — of obstruction on surface tension of serum (HADEN and ORR) 425
Gastrointestinal—*continued*:
Tract, upper, effect of obstruction on tissue chlorides (HADEN and ORR) 435
—, —, — of obstruction on viscosity of blood (HADEN and ORR) 419
Gland:
Submaxillary, of guinea pigs, filterable virus in (COLE and KUTTNER) 855
Glomerulonephritis:
Streptococcus scarlatinæ endotoxin producing (DUVAL and HIBBARD) 567
Graft:
Skin, reaction (ROUS) 815

H

Hair:
Follicle, pigment formation prevented by high voltage x-rays (HANCE and MURPHY) 339
Hassall:
Corpuscles. *See* Corpuscle.
Heartwater:
Etiology. III (COWDRY) 803
Hemolysis:
Streptococcus, hemolytic, antigenic relations between scarlatinal and erysipelas strains (STEVENS and DOCHEZ) 439
—, non-hemolytic, skin response. I (ANDREWES, DERICK, and SWIFT) 35
—, —, — —. II (DERICK and ANDREWES) 55
Hemotoxin:
Bacillus welchii (NEILL) 215
Pneumococcus (NEILL) 199

Herpes:
Encephalitis and (ZINSSER and TANG) 21
Virus, immunological studies (ZINSSER and TANG) 21

Herpetomonas:
Insect, cultivation (NOGUCHI and TILDEN) 307
Leishmania and, comparison. I (NOGUCHI and TILDEN) 307
— —, —. II (NOGUCHI) 327
— —, differentiation by serological reactions and fermentation tests (NOGUCHI) 327
Plant, cultivation (NOGUCHI and TILDEN) 307

Histase:
Streptococcus (FROBISHER) 777

I

Immunity:
Reticulo-endothelial system and. III (JUNGEBLUT and BERLOT) 129

Immunology:
Bacillus, Friedländer's, cell constituents (JULIANELLE) 735
Encapsulatus pneumoniæ cell constituents (JULIANELLE) 735
— —, encapsulated and capsule-free (JULIANELLE) 683
Friedländer's bacillus, encapsulated and capsule-free (JULIANELLE) 683
Herpes virus (ZINSSER and TANG) 21
Oxidation and reduction of immunological substances. I (NEILL) 199

Immunology—*continued*:
Oxidation and reduction of immunological substances. II (NEILL) 215
— — — of immunological substances. III (NEILL) 227
— — — of immunological substances. IV (NEILL and MALLORY) 241

Indicator:
Tissue, ischemic, studied by (ROUS) 815

Influenza:
Bacterium pneumosintes (GATES) 787
— — from nasopharyngeal washings (HALL) 539
— —, relation (HALL) 539

Intestine:
Bile flow to, physiological variations in resistance (ELMAN and MCMASTER) 151

In vivo:
Antigen (JONES) 625

Ischemia:
Tissue, studied by indicator method (ROUS) 815

J

Jejunostomy:
High, chemical study of blood (HADEN and ORR) 795

L

Leishmania:
Herpetomonas and, comparison. I (NOGUCHI and TILDEN) 307
— —, —. II (NOGUCHI) 327
— —, differentiation by serological reactions and fermentation tests (NOGUCHI) 327

Light:
Organic reaction to. I (PEARCE and VAN ALLEN) 447
— — —. II (PEARCE and VAN ALLEN) 461
— — —. III (PEARCE and VAN ALLEN) 483
Lysis:
Bacillus pestis caviæ, virulence of overgrowth (BRONFENBRENNER, MUCKENFUSS, and KORB) 607

M

Macrophage:
Fibroblast and, properties. I (CARREL and EBELING) 261
— —, —. II (CARREL and EBELING) 285
Mammal:
Tissue, living, relative reaction. VI (ROUS) 815
—, —, — —. VII (ROUS and BEATTIE) 835

O

Obstruction:
Gastrointestinal tract, upper, sedimentation rate of erythrocytes (HADEN and ORR) 429
— —, —, surface tension of serum (HADEN and ORR) 425
— —, —, tissue chlorides (HADEN and ORR) 435
— —, —, viscosity of blood (HADEN and ORR) 419
Oddi:
Sphincter. *See* Sphincter.
Organ:
Weight, effect of light. I (PEARCE and VAN ALLEN) 447
—, — — —. II (PEARCE and VAN ALLEN) 461
Organ—*continued*:
Weight, effect of light. III (PEARCE and VAN ALLEN) 483
—, relation to body weight (BROWN, PEARCE, and VAN ALLEN) 635
—, — — obscure lesions in apparently normal rabbits. II (BROWN, PEARCE, and VAN ALLEN) 85
—, spontaneous variations (BROWN, PEARCE, and VAN ALLEN) 653
Oroya fever:
Etiology. II (NOGUCHI) 533
—. III (NOGUCHI) 697
—. IV (NOGUCHI) 715
—. V (NOGUCHI) 729
Oxidation:
Reduction and, of immunological substances. I (NEILL) 199
— —, — immunological substances. II (NEILL) 215
— —, — immunological substances. III (NEILL) 227
— —, — immunological substances. IV (NEILL and MALLORY) 241

P

Physiology:
Bile flow to intestine, variations in resistance (ELMAN and MCMASTER) 151
Platelet:
Blood, count, relation to reticulo-endothelial system (KOSTER) 75
Pneumococcus:
Hemotoxin (NEILL) 199
Inhalation, susceptibility to infection (STILLMAN and BRANCH) 581

Protein:
Embryonic tissue extract, action on fibroblast (BAKER and CARREL) 387
Pyelonephritis:
Cattle, organism associated with (JONES and LITTLE) 11

R

Reduction:
Oxidation and, of immunological substances. I (NEILL) 199
— —, — immunological substances. II (NEILL) 215
— —, — immunological substances. III (NEILL) 227
— —, — immunological substances. IV (NEILL and MALLORY) 241
Resistance:
Trypanosoma infection. II (KLIGLER and WEITZMAN) 409
Reticulo-endothelial system:
Blood platelet count, relation (KOSTER) 75
Immunity and. III (JUNGEBLUT and BERLOT) 129
Rickettsia:
ruminantium, multiplication in endothelial cells of infected animals, and discharge into circulation (COWDRY) 803
Roentgen rays:
XV (HANCE and MURPHY) 339
Hair follicle, pigment formation prevented by (HANCE and MURPHY) 339

S

Scarlet fever:
Streptococcus, hemolytic, antigenic relations to erysipelas streptococcus (STEVENS and DOCHEZ) 439
Serology:
Herpetomonas and *Leishmania* differentiation (NOGUCHI) 327
Serum:
Specific, for agglutination of bacteria (SHIBLEY) 667
Surface tension after upper gastrointestinal tract obstruction (HADEN and ORR) 425
Skin:
Graft, reaction (ROUS) 815
Streptococcus, non-hemolytic, skin response. I (ANDREWES, DERICK, and SWIFT) 35
—, —, — —. II (DERICK and ANDREWES) 55
Sodium chloride:
Solution, physiological, survival of tubercle bacillus in suspension (SHOPE) 623
Specificity:
Serum, for agglutination of bacteria (SHIBLEY) 667
Sphincter:
Oddi's, relation to expulsion of bile by gall bladder (McMASTER and ELMAN) 173
Streptococcus:
Biology. VI (STEVENS and DOCHEZ) 439
Enzyme, tissue-digesting (FROBISHER) 777

Streptococcus—*continued*:
Hemolytic, antigenic relations between scarlatinal and erysipelas strains (STEVENS and DOCHEZ) 439
Histase (FROBISHER) 777
Non-hemolytic, skin response. I (ANDREWES, DERICK, and SWIFT) 35
—, — —. II (DERICK and ANDREWES) 55
scarlatinæ, endotoxin producing glomerulonephritis (DUVAL and HIBBARD) 567
Streptolysin:
(NEILL and MALLORY) 241
Submaxillary gland:
See Gland.
Susceptibility:
Pneumococcus infection, by inhalation (STILLMAN and BRANCH) 581
Trypanosoma infection. II (KLIGLER and WEITZMAN) 409
— —, relation of physical environment (KLIGLER and WEITZMAN) 409
Syphilis:
VI (CHESNEY and KEMP) 589
Reinfection after treatment (CHESNEY and KEMP) 589
Reinoculation, response after treatment (CHESNEY and KEMP) 589

T

Tension:
Surface, of serum after upper gastrointestinal tract obstruction (HADEN and ORR) 425
Tetanolysin:
(NEILL) 227
Thymus:
Reticulum cells, regeneration after autoplastic transplantation (JAFFE) 523
Transplant, autoplastic. II (JAFFE) 523
Tick:
Dermacentor andersoni, transmitting *Bartonella bacilliformis* (NOGUCHI) 729
Tissue:
Chlorides, after upper gastrointestinal tract obstruction (HADEN and ORR) 435
Digestion by enzyme of streptococcus (FROBISHER) 777
— — histase of streptococcus (FROBISHER) 777
Extract, embryonic, action of protein fraction on fibroblast (BAKER and CARREL) 387
—, —, effect of amino acid on fibroblast (BAKER and CARREL) 397
—, —, — — dialyzable constituents on fibroblast (BAKER and CARREL) 397
Ischemia, studied by indicator method (ROUS) 815
Mammalian, living, relative reaction. VI (ROUS) 815
—, —, — —. VII (ROUS and BEATTIE) 835
Reaction, influence of reaction of blood (ROUS and BEATTIE) 835
Toxin:
Antitoxin flocculation by (BRONFENBRENNER and REICHERT) 553
Transplant:
Thymus, autoplastic. II (JAFFE) 523

Trypanosoma:
Infection, resistance. II (KLIGLER and WEITZMAN) 409
—, susceptibility. II (KLIGLER and WEITZMAN) 409
Tuberculosis:
Bacillus. *See* Bacillus.
Twort-d'Hérelle phenomenon:
Bacteriophage. VI (BRONFENBRENNER, MUCKENFUSS, and KORB) 607

V

Virulence:
Bacillus pestis caviæ overgrowth in lysed cultures (BRONFENBRENNER, MUCKENFUSS, and KORB) 607
Bacterium lepisepticum (WEBSTER and BURN) 359
Virulence—*continued*:
Pneumococcus, virulent, susceptibility to inhalation (STILLMAN and BRANCH) 581
Virus:
Dermacentor andersoni, filter-passing (NOGUCHI) 1
Filterable, in submaxillary glands of guinea pigs (COLE and KUTTNER) 855
Herpes, immunological studies (ZINSSER and TANG) 21

W

Welch:
Bacillus. *See* Bacillus.

X

X-rays:
See Roentgen rays.